



SAFETY DATA SHEET

Conforms to Regulation EC 1907/2006 (REACH) as amended by
Regulation (EU) 2015/830

ZER552 – ZERO IN ULTRA POWER FLY & WASP KILLER 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Zero In Ultra Power Fly & Wasp Killer 2

1.2. Relevant identified uses of the substance or mixture and uses advised against

For use as an insecticide

1.3. Details of the supplier of the safety data sheet

STV International Ltd
Forge House
Little Cressingham
Watton
Thetford
Norfolk
IP25 6ND

+ 44 (0) 1953 881 580 (Office hours only)
info@stvpestcontrol.com

1.4. Emergency telephone number

For product information, contact STV International Ltd on the telephone number stated in section 1.3.

In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.

For urgent medical advice, call the NHS Helpline on 111 (England, Scotland & Wales).
For medical emergencies, dial 999 (UK & Ireland) or 112 from any EU country.

Environmental agency emergency phone number 0800 807060.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008

Flam. Aerosol 1; H222, H229

Aquatic Acute 1; H400

Aquatic Chronic 1; H410

2.2. Label elements

Hazard Pictogram

GHS02, GHS09



Signal Word

Danger

Hazard Statements

H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use. P260 Do not breathe spray.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Other labelling required under Regulation (EC) 1272/2008

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

This mixture does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No 1907/2006 (REACH).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical Name	CAS/EC No	Classification in accordance with Regulation (EC) 1272/2008	Conc [%]
Butane	106-97-8 203-448-7	Flammable Gas 1; H220	10-30
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	EC number: 919-857-5	Flam. Liq. 3; H226 STOT SE 3; H336 Asp. Tox. 1; H304	5-10
Isobutane	75-28-5 200-827-9	Flam. Gas 1 - H220 Press. Gas	5-10
1R-trans phenothrin	26046-85-5 247-431-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M factor (Acute) = 100 M factor (Chronic) = 100	<0.5

Prallethrin	23031-36-9 245-387-9	Acute Tox. 4; H302 Acute Tox. 3; H331 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M factor (Acute) = 100 M factor (Chronic) = 100	<0.5
-------------	-------------------------	--	------

Full text of hazard statements is displayed in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.

Skin

Wash skin thoroughly with soap and water.

Eyes

Rinse immediately with plenty of water. Get medical attention if any discomfort continues.

Ingestion

Rinse mouth thoroughly with water. DO NOT induce vomiting. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation - Vapours may cause drowsiness and dizziness.

Ingestion - Nausea, vomiting.

Skin contact - May cause skin irritation/eczema.

Eye contact - May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Small fires: Extinguish with carbon dioxide or dry powder.

Unsuitable extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

5.3. Advice for firefighters

Special protective equipment for firefighters:

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: For personal protection, see Section 8.

6.2. Environmental precautions

Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Avoid contamination of ponds or watercourses with washing down water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Eliminate all sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Do not store near heat sources or expose to high temperatures. Protect from sunlight.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Substance	CAS number	Workplace Exposure Limit				Comments
		Long-term exposure limit (8-hr TWA reference period)		Short-term exposure limit (15 minute reference period)		
		ppm	mg.m ⁻³	ppm	mg.m ⁻³	
Butane	106-97-8	600	1450	750	1810	The Carc, Sen and Sk notations are not exhaustive. Notations have been applied to the substances identified in IOELV Directives Carc (only applies if LPG contains more than 0.1% of buta-1,3-diene)

8.2. Exposure controls

Engineering controls

Provide adequate ventilation.

Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield.

Hand protection

It is recommended that gloves are made of the following material: Rubber (natural, latex).

Other skin and body protection

Wear protective clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: White aerosol

Odour: Characteristic

Odour threshold: Information not available

pH: Information not available

Melting point/freezing point: Information not available

Initial boiling point and boiling range: Information not available

Flash point: Information not available

Evaporation rate: Information not available

Flammability: Extremely flammable aerosol

Upper/lower flammability or explosive limits: Information not available

Vapour pressure: Information not available

Vapour density: Information not available

Relative density: Information not available

Solubility(ies): Slightly soluble in water.

Partition coefficient: n-octanol/water: Information not available

Auto-ignition temperature: Information not available

Decomposition temperature: Information not available

Viscosity: Information not available

Explosive properties: Aerosol. May explode when heated or when exposed to flames or sparks.

Oxidising properties: Does not meet the criteria for classification as oxidising.

9.2. Other information

None

SECTION 10: Stability and reactivity

10.1. Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

No information required.

10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Alkalis - inorganic. Alkalis – organic

10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Inhalation: Vapours in high concentrations are narcotic.

Ingestion: Irritating. Symptoms following overexposure may include the following: Nausea, vomiting. Stomach pain.

Eye contact: May cause temporary eye irritation.

Toxicological information on ingredients

1R-trans phenothrin

Acute toxicity - oral Notes (oral LD₅₀) LD₅₀ > 5000 mg/kg, Oral, Rat Based on available data the classification criteria are not met.

Acute toxicity - dermal Notes (dermal LD₅₀) LD₅₀ > 5000 mg/kg, Dermal, Rat Based on available data the classification criteria are not met.

Acute toxicity - inhalation Notes (inhalation LC₅₀) LD₅₀ > 2.1 mg/l, Inhalation, Rat Based on available data the classification criteria are not met.

Skin corrosion/irritation Animal data Not irritating. Based on available data the classification criteria are not met.

Serious eye damage/irritation Not irritating. Based on available data the classification criteria are not met.

Skin sensitisation Not sensitising. Based on available data the classification criteria are not met.

Germ cell mutagenicity Genotoxicity - in vivo This substance has no evidence of mutagenic properties.

Carcinogenicity There is no evidence that the product can cause cancer.

Reproductive toxicity - development This substance has no evidence of toxicity to reproduction.

Aspiration hazard Based on available data the classification criteria are not met.

Skin contact Skin irritation should not occur when used as recommended.

Medical symptoms Intoxication. Symptoms following overexposure to dust may include the following: Irritability. Headache. Nausea, vomiting.

Prallethrin

Acute toxicity – oral Acute toxicity oral (LD₅₀ mg/kg) 417.0 Species Rat

Acute toxicity - dermal Notes (dermal LD₅₀) Based on available data the classification criteria are not met. LD₅₀ >5000 mg/kg, Dermal, Rat

Acute toxicity inhalation (LC₅₀ dust/mist mg/l) 0.658 Species Rat

Skin corrosion/irritation Animal data Not irritating.

Serious eye damage/irritation Slightly irritating.

Respiratory sensitisation Based on available data the classification criteria are not met. Not determined.

Skin sensitisation Not sensitising.

Germ cell mutagenicity Genotoxicity - in vitro Negative. Genotoxicity - in vivo This substance has no evidence of mutagenic properties.

Carcinogenicity There is no evidence that the product can cause cancer.

Reproductive toxicity fertility This substance has no evidence of toxicity to reproduction.

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation Toxic by inhalation.

Ingestion Harmful if swallowed.

Skin contact Not a skin sensitiser. No specific health hazards known.

Eye contact May cause eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

The product contains substances which are toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

Ecological information on ingredients

1R-trans phenothrin

Ecotoxicity Dangerous for the environment. Very toxic to aquatic life with long lasting effects.

Acute aquatic toxicity

LE(C)₅₀ 0.001 < L(E)C₅₀ ≤ 0.01

M factor (Acute) 100

Acute toxicity - fish LC₅₀, 96 hours: 0.0027 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 0.0043 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: 0.011 (96 hr, Ecb50) mg/l, Algae

Chronic aquatic toxicity

NOEC 0.0001 < NOEC ≤ 0.001

Degradability Non-rapidly degradable

M factor (Chronic) 100

Chronic toxicity - fish early life stage NOEC, 90 days: >0.0011 mg/l, Oncorhynchus mykiss (Rainbow trout)

Chronic toxicity - aquatic invertebrates NOEC, 21 days: 0.00047 mg/l, Daphnia magna

Prallethrin

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Acute aquatic toxicity

LE(C)₅₀ 0.001 < L(E)C₅₀ ≤ 0.01

M factor (Acute) 100

Acute toxicity - fish LC₅₀, 96 hours: 0.012 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 0.0062 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: 4.5 mg/l, Pseudokirchneriella subcapitata

Chronic aquatic toxicity

NOEC 0.0001 < NOEC ≤ 0.001

Degradability Non-rapidly degradable

M factor (Chronic) 100

12.2. Persistence and degradability

There are no data on the degradability of this product.

1R-trans phenothrin

The product is not readily biodegradable. Photodegradable.

Prallethrin

The product is not biodegradable. Photodegradable.

12.3. Bioaccumulative potential

No data available on bioaccumulation.

1R-trans phenothrin

Bioaccumulative potential: The product is not bioaccumulating.

Partition coefficient : 6.8

Prallethrin

Partition coefficient 4.49

12.4. Mobility in soil

Unknown

1R-trans phenothrin

Readily absorbed into the soil.

Prallethrin

Readily absorbed into the soil. Not considered mobile.

12.5. Results of PBT and vPvB assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

1R-trans phenothrin

This substance is not classified as PBT or vPvB according to current EU criteria.

Prallethrin

This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Information not available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods

Dispose of contents/container in accordance with all local, regional, national and international regulations.

SECTION 14: Transport information

14.1. UN number

UN1950

14.2. UN proper shipping name

AEROSOLS

14.3. Transport hazard class(es)

2.1

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

14.6. Special precautions for user

Tunnel restriction code (D)

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This substance is classified and labelled in accordance with Regulation (EC) 1272/2008 and Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

15.2. Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ATE: Acute Toxicity Estimate.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstracts Service.

DNEL: Derived No Effect Level.

EC₅₀: 50% of maximal Effective Concentration.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

LC₅₀: Lethal Concentration to 50 % of a test population.

LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).

NOEC: No Observed Effect Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.

UN: United Nations.

vPvB: Very Persistent and Very Bioaccumulative.

Acute Tox. = Acute toxicity

Aerosol = Aerosol

Aquatic Acute = Hazardous to the aquatic environment (acute)

Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Asp. Tox. = Aspiration hazard

Press. Gas (Comp.) = Gas under pressure: Compressed gas

Skin Sens. = Skin sensitisation

STOT SE = Specific target organ toxicity-single exposure

Full text of hazard statements listed in Section 3

H220 Extremely flammable gas.

H222 Extremely flammable aerosol.

H226 Flammable liquid and vapour.

H229 Pressurised container: may burst if heated.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H331 Toxic if inhaled. H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Comments

Use only in accordance with label instructions.

The information contained in this data sheet does not constitute the user's own assessment of workplace risks as required by legislation. The information in this data sheet should be considered when undertaking a risk assessment under the COSHH regulations. The information contained within this data sheet is strictly for general guidance only and should not be relied upon over and above this. This data sheet is intended to provide general health and safety guidance on the storage and transportation of the preparation. The information in this data sheet is accurate at the date of publication and will be updated as and when appropriate. No liability will be accepted by STV International Ltd for any loss, injury or damage arising from any failure to comply with the information and advice contained within this data sheet and/or failure to

comply with the manufacturer's guidelines, product label data and any associated technical usage literature.